



**DEPARTMENT FOR ENVIRONMENT, FOOD AND RURAL AFFAIRS  
SCOTTISH EXECUTIVE ENVIRONMENT AND RURAL AFFAIRS DEPARTMENT  
NATIONAL ASSEMBLY FOR WALES  
DEPARTMENT OF AGRICULTURE AND RURAL DEVELOPMENT NORTHERN IRELAND**

**EXPORT OF PORCINE SEMEN TO MALAYSIA**

No: .....

**HEALTH CERTIFICATE**

**EXPORTING COUNTRY: UNITED KINGDOM (GREAT BRITAIN AND NORTHERN IRELAND)**

**FOR COMPLETION BY: OFFICIAL VETERINARIAN**

**I. Information concerning the donor boar(s)**

Breed	Date of Birth	Name and ear mark

**II. Information concerning the semen**

a) Date(s) of collection: .....

b) Number of doses and volume of each:  
.....  
.....

c) Identification  
code:.....  
...

**III. Place of collection of the semen**

a) Name and address of semen collection centre.  
.....  
.....  
.....

b) Registration number: .....

- c) Name and address of owner of the donor boar(s):  
.....  
.....  
.....

**IV. Destination of the semen**

- a) Name and address of exporter:.....  
.....  
.....
- b) Name and address of consignee:  
.....  
.....  
..
- c) Means of transportation and all available details of shipment:  
.....
- d) Import Permit No: .....

**V. Health Information**

I, the undersigned, certify that:

- (a) The semen described above was collected, processed and stored in an approved centre under official veterinary control in accordance with the conditions laid down in Council Directive 90/429/EEC (as amended);
- (b) the United Kingdom is free from foot and mouth disease in accordance with the Office International des Epizooties (OIE) Terrestrial Animal Health Code, and has been free from classical swine fever, porcine enterovirus encephalomyelitis (Teschen disease) and swine vesicular disease during the 12 months prior to the date of collection of the semen for export;
- (c) Vesicular stomatitis and Nipah virus have never been recorded in the United Kingdom;
- (d) the donor boars have undergone a combined period of pre-entry quarantine in officially approved accommodation and residency at the semen collection centre at III(a) above of at least six months immediately prior to the date of the first collection of semen for export and during that time have not been used for natural service;
- (e) there has been no clinical evidence of transmissible gastroenteritis, brucellosis and atrophic rhinitis at the semen collection centre at III(a) above during the 12 months prior to the date of collection of the semen for export;
- (f) no case of porcine reproductive and respiratory syndrome (PRRS) has occurred at the semen collection centre at III(a) above during the 6 months prior to the date of collection of the semen for export;

(g) there has been no clinical evidence of post weaning multisystemic wasting syndrome (PMWS) / porcine dermatitis and nephropathy syndrome (PDNS) at the semen collection centre at III(a) above during the 6 months prior to the date of collection of the semen for export;

(h) **either**

\*i) on .....(date), being within twelve months prior to the date of the collection of semen for export, blood samples were taken from the donor boars and sent to a Government laboratory where they were submitted to the microscopic agglutination test (MAT) using live antigen for leptospirosis (serovars: pomona, canicola, icterohaemorrhagiae, grippotyphosa, hardjo) with negative results in each case (negative is less than 50% agglutination at a dilution of 1:100); **or**

\*ii) on .....(date) being within twelve months prior to the date of the collection of semen for export, and again on .....(date), being 14 days after the first treatment, the donor boars were injected with streptomycin / dihydrostreptomycin at a dose rate of 25 mg/kg live body weight;

(i) on .....(date) being within twelve months prior to the date of collection of the semen for export, blood samples were taken from the donor boars and sent to a Government laboratory, where they were subjected to the following tests with negative results in each case;

(i) brucellosis - buffered brucella antigen test (BBAT) or serum agglutination test (SAT);

(ii) transmissible gastroenteritis - serum neutralisation test (SNT) (negative means no neutralisation at a dilution of 1:8) **or** a differential (blocking) enzyme-linked immunosorbent assay (ELISA);

(iii) porcine reproductive and respiratory syndrome (PRRS) - immunoperoxidase monolayer assay (IPMA) or ELISA;

(j) the semen was stored and transported in containers that were cleansed and disinfected before use and which have been sealed prior to dispatch.

**\* Delete if not applicable**

**Official Stamp**

**Signed** .....RCVS  
**Official Veterinarian**

.....  
**Name in block letters**

**Date** .....

**Address** .....  
.....

Department for Environment, Food and Rural Affairs  
1A Page Street  
London SW1P 4PQ

6863EHC (Agreed 15/01/2008)