

DEPARTMENT FOR ENVIRONMENT, FOOD AND RURAL AFFAIRS THE SCOTTISH GOVERNMENT - RURAL DIRECTORATE WELSH ASSEMBLY GOVERNMENT, DEPARTMENT FOR RURAL AFFAIRS DEPARTMENT OF AGRICULTURE AND RURAL DEVELOPMENT NORTHERN IRELAND

				No:	
EXPO	RT OF PORCINE SEM	EN TO GHANA			
HEALTH CERTIFICATE					
EXPO	RTING COUNTRY: UN	ITED KINGDOM			
FOR (COMPLETION BY: OF	FICIAL VETERINARIAN			
I.	Information con	cerning the donor bo	par(s)		
			741 (8)		
	Breed	Date of Birth	Name a	and Ear Mark	
					-
II.	Information con	cerning the semen		_	
a)	Date(s) of coll				• •
b)	Number of doses	and volume of each:			
c)		code:			
Ο,					
III.	Place of colle	ction of the semen			
		s of semen collection			
a)	Name and addres	s of semen coffection	on centre:		
b)	Registration nu	mber:			
c)	Name and addres	s of owner of the do	onor boar(s):		
IV.	Destination of	the semen			
a)	Name and addres	s of exporter:			
			· · · · · · · · · · · · · · · · · · ·		

b)	Name and address of consignee:				
c)	Means of transportation (including registration number of vehicle, flight number of aircraft or name of ship):				
*d)	Import Permit No:				

ν. Health Information

- I, the undersigned Official Veterinarian, certify that:
- the United Kingdom is free from swine vesicular disease, African swine (a) fever, classical swine fever, foot and mouth disease and porcine brucellosis (Brucella suis infection) in accordance with International des Epizooties (OIE) International Animal Realth Code Vaccination against these diseases and importation of animals that been vaccinated against these diseases is not permitted in the United Kingdom;
- the semen described above was collected, processed, packaged and stored in a semen collection centre approved by the competent veterinary authorities of the United Kingdom, which is under official veterinary control and operates in accordance with the conditions laid down in EV Council (b) Directive 90/429/EEC (as amended);
- all donor boars entering the approved semen collection centre were subjected to a period of quarantine of at least 30 days in officially approved accommodation where only animals having at least the same health (C) status were present;
- prior to entering the quarantine accommodation specified at paragraph V(c) above, the donor boars originated from nexts or holdings: (d)
 - which were free of brucellosis in accordance with Article 15.3.2 of the OIE International Animal Health Code; in which he animal vaccinated against foot and-mouth disease had been present in the preceding 12 months; in which he climated against all or virginal evidence of

 - (iii) in which climical, serological or virological evidence of
 - s disease had been detected in the preceding 12 months, re not situated in a restricted area defined under the (iv) the Community legislation due to the emergence of a visions of isease
 - In domestic pigs; and shad not previously been kept in any herd of a lower e boa (V) st
- (e) before the period of quarantine specified in paragraph V(c) above and the previous 30 days, blood samples taken from the donor boars were to the following tests with negative results:
 - brucellosis buffered brucella antigen test (BBAT);
 - Aujeszky's disease serum neutralisation test (SNT) or whole virus (ii)nzyme-linked immunosorbent assay (gB ELISA) using all the Aujeszky's disease viral antigens in the case of non-vaccinated animals; or ELISA for Aujeszky's disease virus gE antigen in the case of animals vaccinated with a gE-deleted vaccine;
 - (iii) classical swine fever SNT or ELISA;

The tests referred to in this paragraph were carried out and the results known before the beginning of the 30 days quarantine period laid down in paragraph V(c)above;

(f) during the last 15 days of the period of quarantine of at least 30 days specified in paragraph V(c) above, blood samples taken from the donor boars were subjected to the following tests with negative results:

- (i) brucellosis BBAT;
- (ii) Aujeszky's disease SNT or whole virus gB ELISA using all the Aujeszky's disease viral antigens in the case of non-vaccinated animals; or ELISA for Aujeszky's disease virus gE antigen in the case of animals vaccinated with a gE-deleted vaccine;
- (g) on the day of admission to the semen collection centre, the following conditions were met:
 - all donor boars were admitted only with the express permission of the centre veterinarian;
 - (ii) the donor boars showed no clinical signs of disease.
 - (iii) the donor boars were transported directly from quarantine accommodation which, on the day of transport from the quarantine centre, officially fulfilled the following conditions:
 - it was not situated in a restricted area defined under t provisions of EU Community legislation due to the en disease in domestic pigs;
 - no clinical, pathological or serological evidence of Aujeszky's disease had been recorded for the past 30 days;
 - \star (iv) in the case of donor boars that were transferred directly from another approved semen collection centre of equal health status, the animals in question did not come into direct or indirect contact with cloven-hoofed animals of a lower health status and the means of transport used was cleansed and disinfected with an approved disinfectant before use;
- the donor boars have been resident on the paragraph III(a) above for not less than semen collection centre at our nonths prior to the (h) four collection of semen for export;
- blood samples are routinely taken from all donor boars kept at the approved semen collection centre and subjected to the following tests with (j) negative results:
 - (i) brucellosis BRAT;
 - (ii) Aujeszky's disease SNT or gB FLISA using all the Aujeszky's disease viral antigers in the case of non-vaccinated animals; or ELISA for Aujeszky's disease virus gE antigen in the case of animals vaccinated with a gE-deleted vaccine; (iii) classical swine fever - SN
 - fever SNT or ELISA;

The above tests are carried out: either

- on all animals when leaving the centre, but not later than 12 months ter admission where they have not left the centre before this
- on 25% of the animals in the centre every three months or according to a testing schedule at least equivalent to this requirement;
- nimals are tested at least once during their stay at the centre and east every 12 months if their stay exceeds a year;
- teschovirus encephalomyelitis (swine infectious encephalomyelitis / enterovirus encephalitis / Teschen disease) is an officially notifiable (k) disease in the United Kingdom. The United Kingdom has been free from teschovirus encephalomyelitis during the three years immediately prior to the date of export. Vaccination against teschovirus encephalomyelitis and importation of animals that have been vaccinated against teschovirus encephalomyelitis is not permitted in the United Kingdom;
- (1)with regard to transmissible gastro-enteritis (TGE):
 - no outbreak of transmissible gastro-enteritis (TGE) has occurred in the United Kingdom during the three years prior to collection of the semen to be exported;

- (ii) there has been no clinical or microbiological evidence of TGE at the semen collection centre at paragraph III(a) above during the 12 months prior to collection of the semen to be exported;
- *(iii) for fresh semen, on...... (date), being within 30 days prior to collection of the semen to be exported, blood samples were taken from the donor boars and sent to a laboratory officially approved by the competent veterinary authority where they were subjected to a differential ELISA for TGE with negative results;
- *(iv) for frozen semen, on...... (date), being not less than 14 days after collection of the semen to be exported, blood samples were taken from the donor boars and sent to a laboratory officially approved by the competent veterinary authority where they were subjected to a differential ELISA for TGE with negative results;
- (m) all the above mentioned tests have been carried out at laborative officially approved by the competent veterinary authority;
- the semen for export was obtained from donor boars which: (n)
 - on the day the semen was collected showed no clinical signs of teschovirus encephalitis, transmissible gastroenteritis, swine vesicular disease, African swine fever, classical swine and mouth disease, Aujeszky's disease and any other disease capable of being transmitted through semen;
 - (ii) have not been vaccinated against foot-and-mouth disease;
 - (iii) satisfy the requirements of paragraphs V(c) - (j) above;
 - (iv) were not allowed to serve naturally;
 - were kept in semen collection the provisions of EU Communic legislation relating to contagious diseases in domestic pigs; were kept in semen collection centres which were not situated in a (V)the provisions of EU Community
 - were kept in semen collection centres wh collection, were free from Aujeszky's period immediately prior to disease;
- the semen described above was treated with a mixture of antibiotics, in (\circ) particular against leptospires and mycoplasmas, to produce an effect in the final dilution at least equivalent to the following:

not less than: 500 μ g of streptomycin per ml; 500 IO of penicillin per ml; 150 µg of lincomycin per ml; μ g of 🚓 ectinomycin per ml.

Immediately after the addition of the antibiotics, the diluted semen was kept at a temperature of at least 15°C for not less than 45 minutes;

described above was sealed under official veterinary control (p) re export and sent to the place of loading in sealed containers under conditions which comply with the provisions of EU Council Directive EEC (as amended) and the current regulations of the International ransport Association (IATA).

Official 🐅 No(s):

* delete if not applicable	
Official Stamp	Signed RCVS Official Veterinarian
	Name in block letters
Date	Address

